

# Safety Data Sheet

## PolyScience Polytherm S200

### Section 1. Identification

Product Identifier PolyScience Polytherm S200  
Synonyms 060327; 04215CL01  
Manufacture Stock 04215CL01  
Numbers

Recommended use Refer to Technical Data  
Uses advised against Refer to Technical Data

#### Manufacturer Contact

Address Accumetric, LLC  
350 Ring Road  
Elizabethtown, KY, 42701  
USA

Phone	Emergency Phone	Fax
(270) 769-3385	(800) 424- 9300 Chemtrec	N/A

### Section 2. Hazards Identification

Classification N/A  
Signal Word  
Pictogram  
Hazard Statements N/A  
Precautionary  
Statements  
Response N/A  
Prevention N/A  
Storage N/A  
Disposal N/A

Ingredients of unknown toxicity 0%

Hazards not Otherwise Classified Not a hazardous substance or mixture.

## Section 3. Ingredients

CAS	Ingredient Name	Weight %
63148-52-7	Dimethyl, phenylmethyl siloxane, trimethyl-terminated	100 %

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First-aid Measures

Eye Contact	Immediately flush with water for 15 minutes.
Skin Contact	No first aid should be needed.
Inhalation	No first aid should be needed.
Ingestion	No first aid should be needed.
Comments	Treat according to person's condition and specifics of exposure.

## Section 5. Fire Fighting Measures

Suitable Extinguishing Media	N/A
Unsuitable Extinguishing Media	N/A
Auto-ignition Temperature	Not determined
Flammability Limits in Air	Not determined
Extinguishing Media	On large fires use dry chemical, foam, or water spray. On small fires use carbon dioxide, dry chemical or water spray. Water can be used to cool fire exposed containers.
Special Fire Fighting Procedures	Self-contained breathing apparatus and protective clothing should be worn when fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.
Unusual Fire or Explosion Hazards	None known
Hazardous Decomposition Products	Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: Carbon oxides and traces of incompletely burned carbon compounds Formaldehyde Silicon dioxide

---

## Section 6. Accidental Release Measures

**Steps to be taken in case of spill or release** Determine whether to evacuate or isolate the area according to your local emergency plan. Observe all personal protection equipment recommendations described in Sections 5 and 8. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. For small spills, wipe up or scrape up and contain for salvage or disposal. Clean area as appropriate since spilled material, even in small quantities, may present a slip hazard. Final cleaning may require the use of steam, solvents or detergents. Dispose of saturated absorbent or cleaning materials appropriately, since spontaneous heating may occur. Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this MSDS provide information regarding certain federal and state requirements.

## Section 7. Handling and Storage

**Handling** Use with adequate ventilation. Traces of benzene (carcinogen) may form if heated above 300F (149C). Provide ventilation to control vapor exposure within inhalation guidelines when handling at elevated temperatures. Review OSHA benzene regulation for detailed information on safe handling requirements. Avoid eye contact.

**Storage** Use reasonable care and store away from oxidizing materials.

## Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Ingredient Name</th> <th style="text-align: center;">ACGIH TLV</th> <th style="text-align: center;">OSHA PEL</th> <th style="text-align: center;">STEL</th> </tr> </thead> <tbody> <tr> <td>Dimethyl, phenylmethyl siloxane, trimethyl-terminated</td> <td style="text-align: center;">N/A</td> <td style="text-align: center;">N/A</td> <td style="text-align: center;">N/A</td> </tr> </tbody> </table>	Ingredient Name	ACGIH TLV	OSHA PEL	STEL	Dimethyl, phenylmethyl siloxane, trimethyl-terminated	N/A	N/A	N/A
Ingredient Name	ACGIH TLV	OSHA PEL	STEL						
Dimethyl, phenylmethyl siloxane, trimethyl-terminated	N/A	N/A	N/A						
Personal Protective Equipment IMPORTANT	N/A  This product is neither tested nor represented as suitable for medical or pharmaceutical uses. Not for human injection. Not intended for food or medical use.								
Component Exposure Limits	There are no components with workplace exposure limits.								
Engineering Controls	Local Ventilation: None should be needed General Ventilation: Recommended								
Eye Protection	Use proper protection - safety glasses as a minimum.								
Skin Protection	Washing at mealtime and end of shift is adequate. Suitable gloves: No special protection needed.								
Respiratory Protection	No respiratory protection should be needed. Suitable Respirator: None should be needed.								
Comment	Traces of benzene (carcinogen) may form if heated above 300F (149C). Provide ventilation to control vapor exposure within inhalation guidelines when handling at elevated temperatures. Review OSHA benzene regulation for detailed information on safe handling requirements.								
Note	These precautions are for room temperature handling. Use at elevated temperatures or aerosol/spray applications may require added precautions.								

## Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Colorless
Odor	Odorless
Odor Threshold	No data available
Solubility	No data available
Partition coefficient Water/n-octanol	No data available
Viscosity	125 cSt
Specific Gravity	1.065
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	>214F >101C
FP Method	Closed Cup
Ph	No data available
Melting Point	No data available
Boiling Point	> 65C
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	No data available
Flammability	No data available
Decomposition Temperature	No data available
Auto-ignition Temperature	No data available
Vapor Pressure	No data available
Vapor Density	No data available

NoteThe above information is not intended for use in preparing product specifications. Contact Accumetric LLC before writing specifications.

## Section 10. Stability and Reactivity

Chemical Stability	Stable
Hazardous Polymerization	Will not occur
Conditions to Avoid	None known
Materials to Avoid / Incompatibility	Oxidizing material can cause a reaction.

## Section 11. Toxicological Information

Acute Toxicology Data for Product Complete information is not yet available.

Component Toxicology Information No known applicable information.

Special Hazard Information on Components No known applicable information.

## Section 12. Ecological Information

Environmental Fate and Distribution Complete information is not yet available.

Environmental Effects Complete information is not yet available.

Fate and Effects in Waste Water Treatment Plants Complete information is not yet available.

## Section 13. Disposal

RCRA Hazard Class (40 CFR 261) When a decision is made to discard this material, as received, is it classified as a hazardous waste? NO State or local laws may impose additional regulatory requirements regarding disposal.

## Section 14. Transport Information

UN Number	N/A
UN Proper Shipping Name	N/A
DOT Classification	N/A
Packing Group	N/A

Road Shipment Information (DOT)

Ocean Shipment (IMDG)

Air Shipment (IATA)

Not subject to DOT regulations.

Not subject to IMDG code.

Not subject to IATA regulations.

## Section 15. Regulatory Information

	The contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.
TSCA Status	All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.
SARA Title III Section 302 Extremely Hazardous Substances	None
SARA Title III Section 304 CERCLA Substances dangereuses	None
SARA Title III Section 311/312 Hazard Class	Acute: No Chronic: No Fire: No Pressure: No Reactive: No
SARA Title III Section 313 Toxic Chemicals	None present or none present in regulated quantities.
Note	Chemicals are listed under the 313 Toxic Chemicals section only if they meet or exceed a reporting threshold.
California Proposition 65	This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm: None known
Massachusetts	No ingredient regulated by MA Right-to-Know Law present.
New Jersey	Dimethyl, phenylmethyl siloxane, trimethyl-terminated (63148-52-7)
Pennsylvania	Dimethyl, phenylmethyl siloxane, trimethyl-terminated (63148-52-7)

## Section 16. Other Information

Revision Date	3/4/2015
Disclaimer	The data contained herein is based upon information that Accumetric LLC believes to be reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.