

Petroleum Oil - 010

Version:1.2 Date of Last Issue: 4/9/2020 Page 1 of 8

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name B29, B200, CAP0L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Viscometer and/or density measurement equipment calibration and performance

verification reference standard

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier

Company name of supplier: AMETEK Brookfield

Address: 11 Commerce Boulevard, Middleboro, MA 02346 USA

Telephone: (800) 628-8139

Emergency telephone: Domestic (US/PR/Canada/US Virgin Is); 800 255 3924 (ChemTel Inc.) International (outside N. America); +(1) 813 248 0585

For further information, please contact E-mail Address

No information available.

1.4. Emergency telephone number

Emergency Telephone (800) 255-3924 Domestic CHEM-TEL Inc.

Number +1 (813) 248-0585 Overseas CHEM-TEL Inc. (Please Call Collect)

Europe 112

Section 2. Hazards identification

2.1. - Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Acute Inhalation Toxicity - Dusts and Mists	Category 4				
Physical Hazards					

None

2.2. Label Elements



Signal Word Warning

Hazard Statements

H332 - Harmful if inhaled

Precautionary Statements - EU (§28, 1272/2008)

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing



Petroleum Oil - 010

Version:1.2 Date of Last Issue: 4/9/2020 Page 2 of 8

2.3. Other information

May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination Repeated or prolonged skin contact may cause allergic reactions with susceptible persons Prolonged skin contact may defat the skin and produce dermatitis

Section 3. Composition/information on ingredients

3.1. Substances

3.2. Mixtures

Chemical Name	EC-No	CAS-No	Weight %	EU - GHS Substance Classification	REACH No.
Residual oils (petroleum), solvent refined	265-101-6	64742-01-4	<100	Carc. 1B (H350)	No data available
Petroleum distillates, solvent- refined light paraffinic	265-091-3	64741-89-5	<100	Carc. 1B (H350)	No data available
Petroleum distillates, solvent- refined heavy paraffinic	265-090-8	64741-88-4	<100	Carc. 1B (H350)	No data available
Petroleum distillates, solvent dewaxed heavy paraffinic	265-169-7	64742-65-0	<100	Carc. 1B (H350)	No data available
Petroleum distillates, hydrotreated heavy paraffinic	265-157-1	64742-54-7	<100	Carc. 1B (H350)	No data available
Petroleum distillates, hydrotreated heavy naphthenic	265-155-0	64742-52-5	<100	Carc. 1B (H350)	No data available
Naphtha (petroleum), hydrotreated heavy	265-150-3	64742-48-9	<100	Muta. 1B (H340) Carc. 1B (H350) Asp. Tox. 1 (H304)	No data available
Chloroalkanes	263-004-3 430-650-4	61788-76-9	<100		No data available

For the full text of the H-Statements mentioned in this Section, see Section 16

Section 4. First aid measures

4.1. Description of first-aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Obtain medical attention if

irritation persists.

Skin Contact

Wash off with warm water and soap. Remove and wash contaminated clothing before

re-use. Get medical attention if symptoms occur.

IngestionDo NOT induce vomiting. Rinse mouth. Never give anything by mouth to an

unconscious person. Drink plenty of water. Get medical attention.

Inhalation IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects Drowsiness. Dizziness. Irritation.

4.3. Indication of immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.



Petroleum Oil - 010

Version:1.2 Date of Last Issue: 4/9/2020 Page **3** of **8**

Section 5. Fire-fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases None in particular.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Avoid

contact with skin, eyes and clothing. Use personal protective equipment.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

6.3. Methods and materials for containment and cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Clean contaminated surface thoroughly.

6.4. Reference to other sections

See Section 12 for additional information.

Section 7. Handling and storage

7.1. Precautions for Safe Handling Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wear personal protective equipment.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition.

7.3. Specific end use(s)

Exposure Scenario

No information available.

Other Guidelines

No information available.



Petroleum Oil - 010

Version:1.2 Date of Last Issue: 4/9/2020 Page 4 of 8

Section 8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical Name	Finlan	ıd	France	Germany	Gibra	ltar	Greece
Naphtha (petroleum), hydrotreated heavy				TWA: 50 ppm TWA: 300 mg/m ³			
64742-48-9				Ceiling / Peak: 100 ppm Ceiling / Peak: 600 mg/m³ Repr*			
Chemical Name	The Neth	rlands	Norway	Poland	Port.	ıgal	Spain
Naphtha (petroleum), hydrotreated heavy 64742-48-9				TWA: 300 mg/m ³ STEL: 900 mg/m ³			
Chemical Name	Chemical Name Switzerland		Sweden		The	United Kingdom	
64742-48-9 STI		STEL: 100 ppm TEL: 600 mg/m ³ TWA: 50 ppm WA: 300 mg/m ³					

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect LevelNo information available.

Predicted No Effect Concentration

(PNEC)

No information available.

8.2. Exposure controls

Engineering Measures

Personal protective equipment

Eye Protection

Skin and Body Protection Hand Protection

Respiratory Protection

Safety glasses with side-shields. Long sleeved clothing.

Protective gloves.

When workers are facing concentrations above the exposure limit they must use

Personal protection equipment should be chosen according to the CEN standards

appropriate certified respirators.

Environmental Exposure Controls No information available.

Section 9. Physical and chemical properties

Ensure adequate ventilation, especially in confined areas.

9.1. Information on basic physical and chemical properties

Physical State Liquid Appearance Pale yellow.

Odor Hydrocarbon-like

<u>Property</u> <u>Values</u> <u>Remarks/ - Method</u>

No data available None known pН Melting Point/Range No data available None known **Boiling Point/Boiling Range** >315 °C None known > 190 °C **Flash Point** Open cup **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air No data available None known



Petroleum Oil - 010

Version:1.2 Date of Last Issue: 4/9/2020 Page **5** of **8**

Vapor Pressure No data available. None known **Vapor Density** No data available. None known **Relative Density** No data available 0.87 - 0.89 None known **Water Solubility** Insoluble in water. None known Solubility in other solvents Soluble in solvents. None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** 58-1100 cSt @ 25°C None known

Explosive PropertiesOxidizing Properties
No information available
No information available

9.2. Other information

VOC Content (%) No information available

Section 10. Stability and reactivity

10.1. Reactivity

Not reactive under normal conditions.

10.2. Chemical stability Stable

under normal conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials Strong

oxidizing agents.

10.6. Hazardous decomposition products None

under normal use.

Section 11. Toxicological information

11.1. Information on toxicological effects

Acute Toxicity

Product Information

Inhalation Harmful by inhalation. Inhalation of mist may cause irritation to the respiratory

system.

Eye Contact Contact with eyes may cause irritation.

Skin ContactNo known hazard in contact with skin. Prolonged skin contact may defat the skin

and produce dermatitis. Prolonged or repeated contact may dry skin and cause

irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, solvent- refined heavy paraffinic	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5530 mg/m³ (Rat) 4 h
Petroleum distillates, solvent- refined light paraffinic	> 15 g/kg(Rat)	> 5 g/kg(Rabbit)	= 2.18 mg/L (Rat) 4 h
Residual oils (petroleum), solvent refined	>5000 mg/kg (rat)	>2000 mg/kg (rabbit)	= 2.18 mg/L (Rat) 4 h
Naphtha (petroleum), hydrotreated heavy	> 5000 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	> 8500 mg/m³ (Rat) 4 h
Petroleum distillates, hydrotreated heavy paraffinic	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	



Petroleum Oil - 010

Version:1.2 Date of Last Issue: 4/9/2020 Page 6 of 8

Petroleum distillates, solvent >4.7 mg/l (rat) 4 hr. dewaxed heavy paraffinic

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenic Effects The classification listed for the petroleum distillates in this product pertains to those

that contain more than 3% DMSO extract as measured by IP 346. The petroleum distillates in this product do not meet that criteria to be classified as carcinogens.

No information available.

Developmental Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Target Organ Effects Skin. Central nervous system (CNS). Eyes. Respiratory system.

Aspiration Hazard No information available.

Section 12. Ecological information

12.1. Toxicity

Ecotoxicity Effects

Reproductive Toxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Residual oils (petroleum), solvent refined	-	> 5000 mg/L: LC50 96 h (Oncorhynchus mykiss)	-	EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, solvent-refined light paraffinic		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, solvent-refined heavy paraffinic		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, solvent dewaxed heavy paraffinic		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, hydrotreated heavy paraffinic		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Petroleum distillates, hydrotreated heavy naphthenic		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Naphtha (petroleum), hydrotreated heavy		LC50 96 h: = 2200 mg/L (Pimephales promelas)		LC50 96 h: = 2.6 mg/L (Chaetogammarus marinus)

12.2. Persistence and degradability No

information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil Adsorbs

on soil.

12.5. Results of PBT and vPvB assessment No

information available.

12.6. Other adverse effects



Petroleum Oil - 010

Page **7** of **8** Date of Last Issue: 4/9/2020 Version:1.2

This product does not contain any known or suspected endocrine disruptors.

Section 13. Disposal considerations

13.1. Waste treatment methods

Waste from Residues / Unused

Products

Dispose of in accordance with local regulations.

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Section 14. Transport information

The information provided below may not apply to all shipping situations. Consult appropriate Dangerous Goods Regulations for additional requirements and mode-specific, material-specific, or quantity-specific shipping requirements.

IMDG/IMO

14.1. UN-Number Not regulated. Not regulated. 14.2. Proper Shipping Name 14.3. Hazard Class Not regulated. 14.4. Packing Group Not regulated. Description Not applicable.

14.5. Marine Pollutant None 14.6. Special Provisions None

14.7. Transport in bulk according No information available.

to Annex II of MARPOL 73/78 and

the IBC Code

RID

14.1. UN-Number Not regulated. 14.2. Proper Shipping Name Not regulated. 14.3. Hazard Class Not regulated. Not regulated. 14.4. Packing Group Description Not applicable.

14.5. Environmental hazard None 14.6. Special Provisions None

ADR

14.1. UN-Number Not regulated. 14.2. Proper Shipping Name Not regulated. 14.3. Hazard Class Not regulated. 14.4. Packing Group Not regulated. Description Not applicable.

14.5. Environmental hazard None 14.6. Special Provisions None

ICAO

14.1. UN-Number Not regulated. 14.2. Proper shipping name Not regulated. 14.3. Hazard Class Not regulated. 14.4. Packing Group Not regulated. Not applicable. Description

14.5. Environmental hazard None 14.6. Special Provisions None

IATA

14.1. UN-Number	Not regulated.
14.2. Proper Shipping Name	Not regulated.
14.3. Hazard Class	Not regulated.
14.4. Packing Group	Not regulated.



Petroleum Oil - 010

Version:1.2 Date of Last Issue: 4/9/2020 Page **8** of **8**

Description Not applicable.

14.5. Environmental hazard None **14.6. Special Provisions** None

Section 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

TSCA Not determined **EINECS/ELINCS** Not determined DSL/NDSL Complies **PICCS** Not determined **ENCS** Not determined **IECSC** Not determined **AICS** Not determined **KECL** Not determined

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical Safety Assessment

No information available

Section 16. Other information

Full text of H-Statements referred to under sections 2 and 3

H340 - May cause genetic defects

H350 - May cause cancer

H304 - May be fatal if swallowed and enters airways

Key literature references and sources for data

www.ChemADVISOR.com/

 Issuing Date
 24-Apr-2014

 Revision Date
 29-Aug-2017

(M)SDS sections updated: 3, 8.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No. 1907/2006

General Disclaimer

Revision Note

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet