Safety Data Sheet

PolyScience Polycool HC-50

Section 1. Identification

Product Identifier

PolyScience Polycool HC-50

Synonyms

060330; 143011

Manufacturer Stock

Numbers

143011

Recommended use

Uses advised against

Refer to Technical Data Refer to Technical Data

Manufacturer Contact

Address

Soudal

350 Ring Road

Elizabethtown, KY, 42701

USA

Phone

Emergency Phone

Fax

(270) 769-3385

(800) 424-9300

(270) 765-2412

CHEMTREC

Section 2. Hazards Identification

Classification

N/A

Signal Word

Pictogram

Hazard Statements

N/A

N/A

Precautionary Statements

Response

Prevention N/A

Storage N/A

Disposal N/A

Ingredients of unknown

toxicity

0%

Additional Information Not a hazardous substance or mixture

Section 3. Ingredients

CAS	Ingredient Name	Weight %
7789-20-0	Water	5% - 50%
590-29-4	Potassium formate	5% - 50%
N/A	Inhibitor solution (trade secret)	< 12%

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

Skin Exposure	If the product contaminates the skin, begin decontamination with running water.
	Remove exposed or contaminated clothing, taking care not to contaminate eyes.
	The recommended flushing time is 15 minutes if pain or irritation occurs.
	Contaminated individual must seek medical attention, especially if symptoms

persist.

Note Contaminated individual must be taken for medical attention if any adverse reaction occurs. Rescuers should be taken for medical attention, if necessary.

Take a copy of label and MSDS to physician or health professional with victim.

Eye Exposure If the product enters the eyes, open victim's eyes while under gentle running

water. Use sufficient force to open eyelids. Have victim "roll" eyes. Minimum flushing is for 15 minutes. Contaminated individual must seek immediate

medical attention, especially if symptoms persists.

Inhalation If vapors or mists of the product are inhaled, remove victim to fresh air. If

necessary, use artificial respiration to support vital functions. Remove or cover

gross contamination to avoid exposure to rescuers.

Ingestion If the product is swallowed, CALL PHYSICIAN OR POISON CONTROL CENTER

> FOR MOST CURRENT INFORMATION. If professional is not available, do not induce vomiting. Contaminated individuals should drink milk, egg whites or large quantities of water. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions or whole is unable to

swallow.

Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

N/A Unsuitable Extinguishing

Media

Autoignition Temperature

Sensitivity to Mechanical

Impact

Not applicable

None

N/A

Flammable Limits (in air by Lower (LEL): Not applicable volume, %) Upper (UEL): Not applicable

None

Sensitivity to Static

Discharge

Water Spray, Carbon Dioxide, Dry Chemical, Halon, Foam, any "ABC" Class

Fire Extinguishing **Materials**

Special Fire-fighting

Procedures

Incipient fire responders should wear eye protection. Structural fire fighters must wear self-contained breathing apparatus and full protective equipment. If possible, prevent run-off water from entering storm drains, bodies of water or other environmentally areas. Decontaminate fire-response equipment with soap

and water solution if necessary.

Unusual Fire and **Explosion Hazards**

When involved in a fore, this material may decompose and produce irritating vapors, toxic gases (e.g., oxides of carbon, potassium compounds), soot and

smoke.

Section 6. Accidental Release Measures

Spill and Leak Response Uncontrolled releases should be responded to by trained personnel using

pre-planned procedures. Proper protective equipment should be used.

Large Spill Personnel involved with large release should wear protective equipment. Stop spill at source; dike the area surrounding the spill to prevent further exposure.

> Prevent material from entering sewer system. If pump is available, pump spilled material into 55-gallon drum for proper disposal. If necessary, absorbents such as vermiculite, clay, floor absorbent may be used on spill and shoveled into

drums.

Small Spill Cover with absorbent material (floor absorbent, vermiculite, etc.). Soak up spill

and place material into a drum.

Personal Protective

Equipment

Should be Level D: chemical resistant gloves (rubber or nitrile) and safety glasses. If heated, this product may displace oxygen in an enclosed area. Dispose of in accordance with federal, state and local hazardous waste

disposal regulations (see Section 13, disposal Considerations).

Section 7. Handling and Storage

Work Practices and **Hygiene Practices**

As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Use in a well-ventilated location. Do not eat, drink, smoke or apply cosmetics while handling this material. Use ventilation and other engineering controls to minimize potential exposure to the aerosol, sprays and vapors of this product.

Maintenance of

Contaminted Equipment

Storage and Handling **Practices**

Protective Practices During Follow practices indicated in Section 6 (Accidental Release Measures). Make certain application equipment is locked and tagged-out safely, if necessary. Decontaminate equipment using soapy water before maintenance begins.

> All employees who handle this material should be trained to handle it safely. Open containers slowly, on a stable surface. Drums and other containers of this product should be properly labeled. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. Store containers in a cool; dry location, away from direct sunlight, or

sources of intense heat. Keep containers away from incompatible chemicals (See Section 10, Stability and Reactivity). Keep drums and other containers of this product tightly closed when not in use. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged.

Section 8. Exposure Controls/Personal Protection

N/A

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Water	N/A	N/A	N/A
	Potassium formate	N/A	N/A	N/A
	Inhibitor solution (trade secret)	N/A	N/A	N/A

Personal Protective

Equipment

Ventilation and

Body Protection

Engineering Controls

Use with adequate ventilation to minimize exposure to mists or sprays of this product. Prudent practice is to ensure eyewash/safety shower stations are available near areas where this product is used.

Use body protection appropriate for task.

Respiratory Protection

None needed for normal circumstances of use. Maintain airborne contaminant concentrations below exposure limits listed in Section 2. If respiratory protection is needed, use only protection authorized in 29 CFR 1910.134, or applicable State regulations. Use supplied air respiration protection if oxygen levels are below 19.5% or are unknown.

Eye Protection

Splash goggles or safety glasses

Hand Protection

Wear rubber or neoprene gloves for routine industrial use. Use triple gloves for spill response, as stated in Section 6 (Accidental Release Measures) of this MSDS.

Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Clear/light
	yellow
Odor	Odorless
Odor Threshold	No data
	available
Solubility	Soluble in
	water
Partition coefficient Water/n-octanol	No data
	available
VOC%	N/A
Viscosity	>1.0 cP @
	25C
Specific Gravity	1
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A

Flash Point	Not		
	applicable		
FP Method	N/A		
рН	7.0 - 11.0		
Melting Point	<0C <32F		
Boiling Point	>100C		
	>212F		
Boiling Range	N/A		
LEL	N/A		
UEL	N/A		
Evaporation Rate	No data		
	available		
Flammability	No data		
	available		
Decomposition Temperature	N/A		
Auto-ignition Temperature	No data		
	available		
Vapor Pressure	No data		
	available		
Vapor Density	No data		
	available		

Section 10. Stability and Reactivity

Chemical Stability Stable

Decomposition Products If this product is exposed to extremely high temperatures, decomposition of this

product will generate carbon dioxide, carbon monoxide and potassium

compounds.

Strong oxidizer

Materials with which

Substance is Incompatible

Will not occur Hazardous polymerization

Conditions to Avoid Contact with strong oxidizers and exposure to extremely high temperatures.

Section 11. Toxicological Information

Considered non-toxic based on recommendations of the Hazardous **Toxicity Data**

Substances Labeling Act.

Oral - Rat LD50 > 5,000 mg/kg

Dermal - Rabbit LD50 > 2,000 mg/kg

Testing showed no mortalities and no adverse clinical signs in rats receiving a single oral dose 5,000 mg/kg. Testing showed no treatment-related mortalities, clinical signs or gross pathological changes in rabbits receiving a single dermal

dose of 2,000 mg/kg.

Biological Exposure

Indices of this products.

Currently, there are no Biological Indices (BEIs) associated with the components

Suspected Cancer Agent The ingredients of this product are not listed on the following lists: FEDERAL OSHA Z LIST, NTP, IARC or CAL/OSHA, and therefore are not considered to be,

nor suspected to be, cancer-causing agents by these agencies.

Irritancy of Product Repeated or prolonged exposure to this product may cause irritation to

contaminated tissues.

Sensitization to the Product No components of this product are reported to be sensitizers upon prolonged or

repeated exposures.

Reproductive Toxicity Information

Listed below is information concerning the effects of this product and its components on the human reproductive system.

Mutagenicity: This product is not reported to produce mutagenic effects in humans.

Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.

Teratogenicity: This product is not reported to produce teratogenic effects in

Reproductive Toxicity: This product is not reported to produce reproductive effects in humans.

Medical Conditions Aggravated by Exposure Pre-existing dermatitis and other skin disorders may be aggravated by skin contact with this product.

Recommendations to

Physicians

Treat symptoms and reduce exposures.

Aquatic Life

Section 12. Ecological Information

All work practices must be aimed at eliminating environmental contamination. Important:

Effect of Chemical on

This product may be harmful to aquatic life if large quantities are release into

bodies of water.

Environmental Stability The component of this product will be degraded over time into other organic

compounds.

Effect of Material on Plants or Animals

This may be harmful to contaminated plant and animal life (especially if large amounts are released). Refer to Section 11 for specific information regarding effects of the product's components on test animals.

Section 13. Disposal

Preparing Wastes for Disposal

Waste disposal must be in accordance with appropriate Federal, State, local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

EPA Waste Number Not applicable to wastes consisting only of this product.

Section 14. Transport Information

UN Number N/A

UN Proper Shipping Name N/A

DOT Classification N/A Packing Group N/A

Note This material is not hazardous as defined by 49 CFR 172.101 by the US

Department of Transportation.

Road Shipment

Not subject to DOT regulations.

Information (DOT)

Air Shipment (IATA) Not subject to IATA regulations.

Ocean Shipment (IMDG) Not subject to IMDG code.

Section 15. Regulatory Information

The contents of this MSDS comply with the OSHA Hazard Communication

Standard 29 CFR 1910.1200.

US SARA Reporting Requirements The components of this product are not subject to the reporting requirements of

Section 302, 304 and 313 of Title III of the Superfund Amendments and

Reauthorization Act.

Canadian DSL Status

The components listed in Section 2 are listed on the DSL Inventory.

US TSCA Status

The components of this product listed in Section 2 are on the TSCA Inventory.

US SARA Threshold Planning Quantity

Not applicable

US CERCLA Reportable

Not applicable

Quantities

Other US Federal

Regulations

Not applicable

US State Regulatory

Information

Components of this product are covered under specific State regulations, as

denoted below: None known

California Proposition 65

This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition

65) as being known to cause cancer, birth defects or other reproductive harm:

None known

Labeling (Precautionary

Statements)

CAUTION! MAY CAUSE SKIN AND EYE IRRITATION. FOR INDUSTRIAL USE

ONLY. KEEP AWAY FROM CHILDREN. Avoid contact with skin, eyes and clothing.

Avoid prolonged skin contact. Wash thoroughly after handling. Use in

well-ventilated area. Use gloves, safety goggles and appropriate body protection.

FIRST AID: In case of skin or eye contact, flush with water for 15 minutes. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If ingested, do not induce vomiting. Get medical attention

if adverse reactions occur. IN CASE OF FIRE: Use water fog, dry chemical, CO2

or 'alcohol' foam. IN CASE OF SPILL: Absorb with an inert material (i.e. polypads), then place in a suitable container. Consult Material Safety Data

Sheets for additional information.

Section 16. Other Information

Revision Date 5/9/2019

Disclaimer The data contained herein is based upon information that Soudal believes to be

reliable. Users of this product have the responsibility to determine that suitability of use and to adopt all necessary precautions to ensure the safety and protection of property and persons involved in said use. All statements or suggestions are made without warranty, expressed or implied, regarding the accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof.